



auxiliary switch contact for AC 6 A, 250 V 1 NO 1 NC

Model	
product brand name	SETRON
product designation	Remote control switch
design of the product	auxiliary switch, 1NC+1NO
latching relay design	Auxiliary switch
General technical data	
galvanic isolation between magnet coil and contact	Yes
switching voltage of the contacts at AC minimum	10 V
switching current at AC per contact minimum	100 mA
degree of pollution	3
Voltage	
type of voltage of the operating voltage	AC
Protection class	
protection class IP	IP20
Product details	
number of NC contacts	1
number of NO contacts	1
number of CO contacts	0
Product function	
product function	
• communication function	No
• other measurement function	No
pulse duration minimum	50 ms
Mechanical Design	
height	90 mm
width	9 mm
width of opening of the contacts	1.2 mm
depth	73 mm
mounting height	90 mm
installation depth	70 mm
number of modular width units	0.5
fastening method	DIN rail
mounting position	Horizontal and vertical
Net Weight	47 g
Environmental conditions	
ambient temperature during operation	
• minimum	-25 °C
• maximum	70 °C
ambient temperature with relative humidity 95% according	55 °C

to DIN 50015

Approvals Certificates

Environment

General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



other

[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT4930>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TT4930>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT4930

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

6/5/2025 