



time counter 72 x 72 mm 115 V AC 50 Hz without terminal cover

Model		
product brand name	SETRON	
product designation	Time counter	
design of the product	Without terminal cover	
General technical data		
electrical input frequency		
• minimum	50 Hz	
• maximum	50 Hz	
principle of operation of the operating hours counter	analog	
reset function	no	
type of voltage of the operating voltage	AC	
input voltage	115 V	
Protection class		
protection class IP	IP00	
Number		
number of characters that can be displayed	7	
Mechanical Design		
height	67.5 mm	
height of the front plate	72 mm	
width	67.5 mm	
width of the front plate	72 mm	
installation depth	44 mm	
number of modular width units	2	
fastening method	front panel mounting	
Net Weight	138 g	
Approvals Certificates		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)



[Confirmation](#)

other



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5601>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT5601>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5601

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

5/26/2025 

