

time counter, mechanical, 24V, 50Hz



Figure similar

Model	
product brand name	SENTRON
product designation	Mechanical time counter
General technical data	
electrical input frequency	
• minimum	50 Hz
• maximum	50 Hz
principle of operation of the operating hours counter	analog
reset function	no
type of voltage of the operating voltage	AC
input voltage	24 V
Protection class	
protection class IP	IP20
Number	
number of characters that can be displayed	7
Mechanical Design	
height	90 mm
height of the front plate	45 mm
width	36 mm
width of the front plate	36 mm
installation depth	64 mm
number of modular width units	2
fastening method	DIN rail
Net Weight	92 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-  
firmations](#)



[Confirmation](#)



other

[Confirmation](#)



## Further information

### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5802>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT5802>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=7KT5802](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5802)

### CAx-Online-Generator


<https://www.siemens.com/cax>

### Tender specifications

<https://www.siemens.com/specifications>

### Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

5/26/2025 

