



Technical Data Sheet

Beta 90A / 90B



Beta 90A / 90B is the digital panel meter designed for industrial applications, which frequently require precise, onsite adjustment of the display range.

Special Features

- Available in size 48 x 24 mm
- Compact digital display units in a 48 mm x 24 mm DIN standard snap-in housing.
- The low power consumption and small overall size of these DPMs suits high-density panel applications.

Application

Beta 90A The digital panel meter has been designed for industrial applications, which frequently require precise, onsite adjustment of the display range. It can be used in industrial automation and for laboratory uses. It provides cost-effective solution for virtually all switchboard instruments.

Description

The **90B** 24 x 48 is a digital panel meter for connection of measurement for voltage (0 ... 0.2 V, 0 ... 2 V or 0 ... 20 V) with 3 ranges.

The **90A** 24 x 48 is a digital panel meter for connection of measurement for voltage (10 V) and current (1mA, 20 mA or 4 ... 20 mA) with 4 ranges.

The setting of measuring range and display range is made by positioning DIP switches. The chosen input range is user adjustable from 10 % to 100 % of the full scale value by potentiometer on the rear of the meter.

Technical Specifications

Display

Display range	1999
Decimal point position	programmable, settable by DIP switch
Negative display indication	"_"
Digit height	8 mm / 7-segment digits
Overload indication	Last 3 digits blank
Setting time	< 1s (0...99%)

Measuring ranges

	Version D	Version F
Direct voltage	0 ... 10 V	0 ... 0.2 V
(Input current < 100 mA)		0 ... 2 V
		0 ... 20 V
Direct current	0 ... 1 mA	
(Voltage drop < 200 mV)	0 ... 20 mA 4 ... 20 mA	
Measuring accuracy	< 0.2 % + 1 digit	
0 Temperature coefficient	100 ppm/ °C, plus	
0 Zero point drift	200 ppm/ °C	
Interference voltage suppression	> 40 dB	
Range adjustment span	from 10% to 100% of range	

Ambient conditions

Operating temperature	0 to 50°C
Storage temperature	-40 to 80°C

Dimensions & Weights

Bezel size	48 mm x 24 mm DIN 43 718
Panel cut-out	45 +0.6 mm x 22.2 +0.3mm
Overall depth	69 mm
Weight	< 50 g.

Power supply

24 V DC	21 ... 30 V DC, 50 mA approx.
---------	-------------------------------


Sundry

Connections	plug-in screw terminal block
-------------	------------------------------


Applicable Regulations and Standards

Protection class	IP 20 to IEC EN 60 529
front	IP 54 (IP 54 on request)
Climatic class	Class 2 VDE/DIN 3540
Safety class	II to IEC 348 / VDE 0411
Device safety	to IEC EN 61 010
EMC immunity	DIN EN 61 000-4-1 to 4
EMC radiated interference	DIN EN 50 081 class B

Design and installation



Panel cut-out



Connections



Power
supply

Measuring
input

Ordering Information

Product Code	BT90-	X	X	X	XX	X	X	X	00000
Size	24X48	A							
	24X96	C							
	96X96	G							
Display Size	Not Applicable		0						
	14mm		1						
	20mm		2						
Meter Type	MODEL D			1					
	MODEL F			2					
	MODEL S			3					
	MODEL VDC C			4					
	MODEL VDC F			5					
	MODEL ADC B			6					
Input Range	0-1mA				05				
	0-20mA				02				
	4-20mA				04				
	0-200mA				03				
	0-60mV				0A				
	0-75mV				0B				
	0-150mV				0C				
	0-200mV				0D				
	0-2V				1A				
	0-5V				1G				
	0-10V				1B				
	0-12V				1F				
	0-20V				1C				
	0-25V				1H				
	0-100V				1I				
	0-200V				1D				
	0-300V				1K				
	0-500V				1E				
	0-1000V				1L				
	+/-10mA				07				
Power Supply	5D					J			
	12D					8			
	24D					9			
	48D					A			
	110D					B			
	110A					2			
	230A					6			
	240A					7			
	45-300U					G			
	220D					E			
	120D					K			
	125D					C			
IP Protection	W/O IP Protection						0		
	With IP Protection						1		
Display	NORMAL DISPLAY							0	
	-/+ DISPLAY							1	
	Hz DISPLAY							2	



sifam tinsley
PRECISION INSTRUMENTATION

Sifam Tinsley Instrumentation Inc.
3105, Creekside Village Drive,
Suite No. 801, Kennesaw,
Georgia 30144 (USA)
E-mail Id : psk@sifamtinsley.com
Web : www.sifamtinsley.com
Contact No. : +1 404 736 4903

Sifam Tinsley Instrumentation Ltd.
Central Buildings, Woodland Close,
Old Woods Trading Estate,
Torquay, Devon, England, TQ27BB
Web: www.sifamtinsley.com/uk
Contact No. : +44 (0) 1803 615139