



Sensors > Force Sensors > Force Sensor Elements > FORCE SENSOR ELEMENTS STOCK LIST



Force Sensor Element Sensor Type: OEM Compression Load Cells

Full Scale Range: 5 Nm

Operating Temperature Range: 0 – 40 °C [32 – 104 °F]

Output Signal: 20 mV/V

Zero Shift in CTR: ±.05 % of FS

[All FORCE SENSOR ELEMENTS STOCK LIST \(15\)](#)

Features

Product Type Features

Force Sensor Element Sensor Type	OEM Compression Load Cells
----------------------------------	----------------------------

Electrical Characteristics

Supply Voltage	5 VDC
Full Scale Range	5 Nm

Signal Characteristics

Output Signal	20 mV/V
---------------	---------

Usage Conditions

Operating Temperature Range	0 – 40 °C[32 – 104 °F]
-----------------------------	------------------------

Other

Accuracy	±1 % of FS
Force Direction	Compression
Zero Shift in CTR	±.05 % of FS
Sensitivity Shift	±.05 % of FS

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.8% in Component) Octamethylcyclotetrasiloxane (D4) (1% in Component) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-FSE0003
FORCE LOAD CELL - 20MV/V



TE Part # CAT-FSE0000
FORCE SENSOR ELEMENTS STOCK LIST

Also in the Series | MEAS FS



Flow Switch(9)



Force Sensor Elements(11)

Customers Also Bought



TE Part #1609133-3
CORCOM SR SERIES IEC
UNFILTERED INLETS



TE Part #5103308-2
A/L LOW PRO HDR 14P VERT BLACK



TE Part #3-643814-6
06P MTA100 CONN ASSY POL RIB



TE Part #3-640441-3
03P MTA100 CONN ASSY WHT



TE Part #1623239-1
CRG0805 1% 4K7




TE Part #1623094-1
CRG0603 ZEROHM



TE Part #1622829-1
CRG0603 1% 10K



TE Part #5052842031
RNF-100-3/64-0-STK



TE Part #3-643814-4
04P MTA100 CONN ASSY POL RIB



TE Part #1SNA115406R1300
MB4/6.L2

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_FS1901-0000-0500-G_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_FS1901-0000-0500-G_A.3d_igs.zip



English

Customer View Model

[ENG_CVM_CVM_FS1901-0000-0500-G_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FS19](#)

English