



Product/Process Change Notice (PCN)																															
<input checked="" type="checkbox"/> Major Change <input type="checkbox"/> Minor Change																															
PCN Number: PCN_TBL Plug 5 mm_20260501 Affected Series: WR-TBL Affected Part Number: see table below PCN Date: 2026-02-02 (YYYY-MM-DD) Effective Date: 2026-05-01 (YYYY-MM-DD)	Change Category: <input type="checkbox"/> Equipment/Location <input type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input checked="" type="checkbox"/> Product Design <input type="checkbox"/> Shipping/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software																														
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eican@we-online.com	Datasheet Change: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Attachment: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																														
DESCRIPTION OF CHANGE: <p>To improve the processability, Würth Elektronik eiSos will change the production site of WR-TBL series mentioned. This implies changes in design, tolerances, layout recommendations. Aesthetics changes may occurred but it does not have an impact on product functionality.</p> <p>There will be no change in fit, function, quality.</p> <p>The new revision of the affected order codes will be sent out after the previous revision is out of stock (according to FIFO - first-in, first-out).</p> <p>The preliminary datasheets of the affected part numbers which are available in the online catalogue will be available on the website after the PCN date. Link to the website: WR-TBL</p> <p>Affected part numbers:</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th colspan="5" style="padding: 2px;">6913407000xx</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">691340700002</td> <td style="padding: 2px;">691340700003</td> <td style="padding: 2px;">691340700004</td> <td style="padding: 2px;">691340700005</td> <td style="padding: 2px;">691340700006</td> </tr> <tr> <td style="padding: 2px;">691340700007</td> <td style="padding: 2px;">691340700008</td> <td style="padding: 2px;">691340700009</td> <td style="padding: 2px;">691340700010</td> <td style="padding: 2px;">691340700011</td> </tr> <tr> <td style="padding: 2px;">691340700012</td> <td style="padding: 2px;">691340700013</td> <td style="padding: 2px;">691340700014</td> <td style="padding: 2px;">691340700015</td> <td style="padding: 2px;">691340700016</td> </tr> <tr> <td style="padding: 2px;">691340700017</td> <td style="padding: 2px;">691340700018</td> <td style="padding: 2px;">691340700019</td> <td style="padding: 2px;">691340700020</td> <td style="padding: 2px;">691340700021</td> </tr> <tr> <td style="padding: 2px;">691340700022</td> <td style="padding: 2px;">691340700023</td> <td style="padding: 2px;">691340700024</td> <td style="padding: 2px;"></td> <td style="padding: 2px;"></td> </tr> </tbody> </table>		6913407000xx					691340700002	691340700003	691340700004	691340700005	691340700006	691340700007	691340700008	691340700009	691340700010	691340700011	691340700012	691340700013	691340700014	691340700015	691340700016	691340700017	691340700018	691340700019	691340700020	691340700021	691340700022	691340700023	691340700024		
6913407000xx																															
691340700002	691340700003	691340700004	691340700005	691340700006																											
691340700007	691340700008	691340700009	691340700010	691340700011																											
691340700012	691340700013	691340700014	691340700015	691340700016																											
691340700017	691340700018	691340700019	691340700020	691340700021																											
691340700022	691340700023	691340700024																													



<u>6913437100xx</u>				
691343710002	691343710003	691343710004	691343710005	691343710006
691343710007	691343710008	691343710009	691343710010	691343710011
691343710012	691343710013	691343710014	691343710015	691343710016
691343710017	691343710018	691343710019	691343710020	691343710021
691343710022	691343710023	691343710024		
<u>6913447100xx</u>				
691344710002	691344710003	691344710004	691344710005	691344710006
691344710007	691344710008	691344710009	691344710010	691344710011
691344710012	691344710013	691344710014	691344710015	691344710016
691344710017	691344710018	691344710019	691344710020	691344710021
691344710022	691344710023	691344710024	691344717719	691344717819
691344711104				
<u>6913457100xx</u>				
691345710002	691345710003	691345710004	691345710005	691345710006
691345710007	691345710008	691345710009	691345710010	691345710011
691345710012	691345710013	691345710014	691345710015	691345710016
691345710017	691345710018	691345710019	691345710020	691345710021
691345710022	691345710023	691345710024		
<u>6913517000xx</u>				
691351700002	691351700003	691351700004	691351700005	691351700006
691351700007	691351700008	691351700009	691351700010	691351700011
691351700012	691351700013	691351700014	691351700015	691351700016
691351700017	691351700018	691351700019	691351700020	691351700021
691351700022	691351700023	691351700024	691351701103	
<u>6913527100xx</u>				
691352710002	691352710003	691352710004	691352710005	691352710006
691352710007	691352710008	691352710009	691352710010	691352710011
691352710012	691352710013	691352710014	691352710015	691352710016
691352710017	691352710018	691352710019	691352710020	691352710021
691352710022	691352710023	691352710024	691352711104	691352711111
691352712302	691352712303	691352712304	691352712305	69135271LU03



DETAILS OF CHANGE:

Production Line Change

The production line can be identified by the first three digits of the lot number: **XXX XXX XXX XXX XXX**

Previous production line:	New production line:
Lot number: 222 XXX XXX XXX XXX Country of origin on Delivery Note: China	Lot number: 653 XXX XXX XXX XXX Country of origin on Delivery Note: China

1. Specifications

a. 6913437100xx / 6913527100xx

	Rated current UL (A)	Working Voltage UL (V)	Withstandin g Voltage UL (V)	Contact resistance (mΩ) UL	Rated current VDE (A)	Working Voltage VDE (V)	Withstandin g Voltage VDE (V)	Contact resistance (mΩ) VDE
BEFORE	20	300	1600	20	20	300	2500	20
AFTER	15	300	1600	20	15	320	2200	20


b. 6913407000xx / 6913447100xx / 6913457100xx / 6913517000xx

	Rated current UL (A)	Working Voltage UL (V)	Withstandin g Voltage UL (V)	Contact resistance (mΩ) UL	Rated current VDE (A)	Working Voltage VDE (V)	Withstandin g Voltage VDE (V)	Contact resistance (mΩ) VDE
BEFORE	15	300	1600	20	17	300	2500	20
AFTER	15	300	1600	20	15	320	2200	20


c. VDE

	VDE Certificate
BEFORE	40023195 / 40023402
AFTER	40061301

e. 6913517000xx



f. 6913527100xx





RELIABILITY / QUALIFICATION OF CHANGE:

Product approval is according to the specification criteria and is internally released by the Product Management Department.

Please find the updated reliability reports attached.