



Connectors > Terminal Blocks & Strips > PCB Terminal Blocks > Surface Mount TB Receptacles



Terminal Block Connector Type: **Receptacle**

Number of Positions: **2**

Centerline (Pitch): **3.5 mm [.138 in]**

Number of Rows: **1**

Wire Size: **30 – 16 AWG**

[All Surface Mount TB Receptacles \(44\)](#)

Features

Product Type Features

Terminal Block Connector Type	Receptacle
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Current Rating (Max)	8 A
Voltage Rating	300 VAC

Contact Features

Contact Mating Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	8 A



Mechanical Attachment

Mounting Angle	Straight
----------------	----------

Housing Features

Housing Color	Black
Housing Material	Thermoplastic
Centerline (Pitch)	3.5 mm [.138 in]

Dimensions

Wire Size	.05 – 1.31 mm ²
-----------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Model / Part # CAT-B2125-P7565
Buchanan WireMate ITB Poke-In



TE Model / Part # CAT-B8519-SU774
Surface Mount TB Headers




TE Model / Part # 2834167-3
RELEASABLE SLIM CONTACT



TE Model / Part # 2834385-2
RELEASE POKE-IN
CONNECTOR_2P_NATURAL

Also in the Series | Buchanan WireMate TB Series



PCB Terminal Blocks(77)

Customers Also Bought



TE Model / Part #2-1393122-9
KHAU-17A12-24=KH



TE Model / Part #6-1879011-7
SMF2 120K 5%



TE Model / Part #7-102617-3
50 MODII HDR DRRR SHRD LF



TE Model / Part #2176373-1
RQ 0805 10R 0.1% 10PPM 1K RL



TE Model / Part #EF8567-000
R85049/88-15Z03



TE Model / Part #5-102203-4
07 MODII HDR SRRA SHRD LF



TE Model / Part #4-1625868-5
RP 2A 0.25W 15R4 0.1% 25PPM 1K RL

Documents

Product Drawings

SMT TB SCREW RECEPTACLE, 3.5MM, 2 POS

English

CAD Files



3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2213936-2_1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2213936-2_1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2213936-2_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Buchanan WireMate SMT](#)

English

[BUCHANAN WireMate Connectors Brochure](#)

English

[BUCHANAN WireMate Connectors Brochure](#)

Agency Approvals

[CSA Certificate](#)

English