

UPM PIN ASSY, HI CURRENT ✓ ACTIVE

Z-PACK 2mm HM


TE Part # 5-5223961-1

TE Internal #: 5-5223961-1

[View on TE.com >](#)



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Product Type: **Header**

Housing Type: **Plug**

Connector System: **Board-to-Board**

Number of Positions: **3**

Centerline (Pitch): **3 mm [.118 in]**

Features

Product Type Features

Product Type	Header
Housing Type	Plug
Connector System	Board-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Contact Type	Blade

Configuration Features

Number of Positions	3
Interface Type	2mm HM
PCB Mount Orientation	Right Angle
Number of Power Positions	3
Number of Signal Positions	0
Number of Rows	1
Board-to-Board Configuration	Right Angle

Electrical Characteristics

Operating Voltage	250 VDC
-------------------	---------

Contact Features

Contact Base Material	High Conductivity Copper Alloy
Contact Current Rating (Max)	16 A
Contact Retention	With
Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material	Noble Metal
Contact Mating Area Plating Thickness	1.27 μm [50 μin]
Contact Termination Area Plating Thickness	3.81 – 8.89 μm [150 – 350 μin]

Termination Features

Termination Post & Tail Length	3.43 mm[.135 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	3 mm[.118 in]
UL Flammability Rating	UL 94V-0
Housing Color	Gray
Housing Material	Thermoplastic

Dimensions

PCB Thickness (Recommended)	1.6 mm[.063 in]
-----------------------------	-----------------

Usage Conditions

Operating Temperature Range	-55 – 125 $^{\circ}\text{C}$ [-67 – 257 $^{\circ}\text{F}$]
-----------------------------	--

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

Packaging Features

Packaging Method	Box & Tube, Tube
------------------	------------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JUN 2018 (191)
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability













Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.









Compatible Parts



Also in the Series | **Z-PACK 2mm HM**

			
Backplane Coding Keys(60)	Backplane Guide Hardware (37)	Board-to-Board Connector Contacts(8)	Board-to-Board Headers & Receptacles(6)
			
Hard Metric Backplane Connectors(257)	High Speed Backplane Connectors(8)	PCB Connector Covers(4)	PCB Connector Shrouds (48)
			
PCB Ferrules & Shields(19)	PCB Latches, Locks & Retainers(1)	Power Contacts(1)	Rectangular Power Connectors(111)

Customers Also Bought

			
TE Part #5646357-1 2MM HM ASY,T-B,HDR, 10R,250,AP	TE Part #5646487-1 2MM HM,ASY,T-E,REC,W /SHEILD	TE Part #5223957-1 UPM GUIDE MODULE	TE Part #120943-1 ASSEMBLY, R/A UPM RECPT, 3 POS
			
TE Part #6469083-1 HMZD 3PAIR, HDR ASSY, 25MM MOD	TE Part #1888653-4 2X1 OFFSET ST/JK WITH LEDS	TE Part #1473006-4 SEMI-HARD TRAY DDR2 SODIMM SOCKET 200P 5	TE Part #5223961-1 UNV,PWR,MDL.HDR,R- PEGS



Documents

Product Drawings

[UPM PIN ASSY, HI CURRENT](#)

English

CAD Files

[3D PDF](#)

English

[Customer View Model](#)

[ENG_CVM_5-5223961-1_O.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_5-5223961-1_O.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_5-5223961-1_O.3d_stp.zip](#)

English

Datasheets & Catalog Pages

[High Speed Backplane Connectors catalog - Z-PACK HM-Zd Connector](#)

English

[POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD](#)

English

[High Speed Backplane Connectors catalog - Z-PACK HS3 Connector](#)

English

[Solutions for AdvancedTCA, AdvancedTCA 300, MicroTCA, and AdvancedMC Standards Datasheet 3-1773445-8](#)

English

[2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[TE Material Declaration](#)

English

UPM PIN ASSY, HI CURRENT

TE Part # 5-5223961-1
TE Internal #: 5-5223961-1

