



Sensors > Temperature Sensors > NTC Thermistors Sensors & Probes > NTC Probes & Assemblies



Sensor Type: **Air/Gas**

Sensor Connector Type: **Open End**

Resistance @ 25°C [KΩ]: **10 kΩ**

T_ref for Resistance: **25 °C [77 °F]**

β-Value(25/85): **3976 K**

Features

Product Type Features

Sensor Type	Air/Gas
-------------	---------

Electrical Characteristics

Resistance @ 25°C [KΩ]	10 kΩ
β-Value(25/85)	3976 K

Mechanical Attachment

Wire Length	71 mm[2.8 in]
Wire/Cladding	30 AWG Ag-plated Cu, PVDF insulated

Usage Conditions

Operating Temperature Range	0 – 105 °C[32 – 221 °F]
T_ref for Resistance	25 °C[77 °F]
Temperature Accuracy	± .2 from 0 – 70 °C
Tolerance Resistance	± .88 %

Packaging Features

Package	Closed End SST Tube
---------	---------------------

Other

Sensor Connector Type	Open End
-----------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # GA10K3435DM010
PRO4-OVERMOLDED PROBE



TE Part # 11016706-00
PRO2-G3.3M8D4 (8K+/- 5%)

Customers Also Bought



TE Part #5100143-1
2MM H.M. TYPE "A" PIN ASSY.




TE Part #7-6609928-7
PE0SSDS3A=C2191



TE Part #60789-8
.058 DIA RECEPTACLE LP 20-24
GPBECU



TE Part #1658621-2
14 NOVO MIL/CTR 15DP, LEAD FREE




TE Part #640643-6
06P MTA156 COVER F/T



TE Part #024335-002
MWTM-35/12-1200-S-(B25)



TE Part #178497-1
UNIV. POWER HDR H 4P 3.96MM NA



TE Part #173725-1
PL 187 REC TERMINAL 20-14 PTPB LP



TE Part #4-1879494-5
CRGH0603 5% 68R 0.2W

Documents

Datasheets & Catalog Pages

G10K3D732

English