




Pin Busbar, 10mm<sup>2</sup> connection: 3p (RCCB N-right) 1x RCCB 4-pole + 6x MCB 1-pole touch protected 10 MW fixed length



product brand name	SENTRON				
product designation	Pin busbar				
design of the product	3PH+(N) + 6x 1PH				
<b>General technical data</b>					
compatibility	for 6 MCBs 1P with 1 RCCB 3P+N or for 1 RCCB 3P+N, 1 MCB 3P and 3 MCBs 1P				
design of pole	3 poles				
phase number	3				
operational current rated value	63 A				
suitability for interaction devices with auxiliary switch	No				
suitability for interaction devices with N conductor	Yes				
suitability for use	RCCB 4P N right				
color	light grey				
<b>Product details</b>					
product feature attachable arc fault detection device	No				
product feature insulated	Yes				
product function					
• suitable for compact devices	No				
• can be cut	No				
number of devices suitable for fitting	7				
type of electrical connection	Pin				
<b>Mechanical Design</b>					
module width	18 mm				
height	15 mm				
width	9 mm				
length	176 mm				
number of modular width units	10				
cross-section	10 mm <sup>2</sup>				
angle of the pin of busbar	0°				
Net Weight	64 g				
<b>Approvals Certificates</b>					
Environment	General Product Approval				
<a href="#">Environmental Con- firmations</a>	<a href="#">Environmental Con- firmations</a>	<a href="#">Miscellaneous</a>	<a href="#">Confirmation</a>		
General Product Ap-	other				


[Confirmation](#)


#### Further information

##### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

##### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3624-1>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3624-1>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3624-1](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3624-1)

##### CAX-Online-Generator


<https://www.siemens.com/cax>

##### Tender specifications

<https://www.siemens.com/specifications>

##### Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



last modified:

1/15/2026

