

compact pin busbar, 10 mm², connection 3-pole/ N 6x compact device 1 MW safe to touch 6 MW fixed length



product brand name	SETRON
product designation	Pin busbar
design of the product	6x (1PH+N)
design of the phase tap	L1/N/L2/N/L3/N
General technical data	
compatibility	for compact devices
design of pole	3P+N
phase number	4
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product component with end cap	Yes
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	Yes
• can be cut	No
number of devices suitable for fitting	6
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	14 mm
width	42 mm
length	113 mm
number of modular width units	6
cross-section	10 mm ²
angle of the pin of busbar	0°
Net Weight	63 g

Approvals Certificates

Environment	General Product Approval
-------------	--------------------------

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

[Miscellaneous](#)



[Confirmation](#)




EG-Konf.

General Product Ap-	other
---------------------	-------

[Confirmation](#)

Further information

Information on the packaging<https://support.industry.siemens.com/cs/ww/en/view/109813875>**Information for data generation and storage**<https://support.industry.siemens.com/cs/ww/en/view/109995012>**Information- and Downloadcenter (Catalogs, Brochures,...)**<https://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3673-6>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5ST3673-6>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3673-6**CAX-Online-Generator**<https://www.siemens.com/cax>**Tender specifications**<https://www.siemens.com/specifications>**Characteristic curves**[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

8/8/2025 