

Pin busbar touch-safe, 16 mm² 2-phase, 1016 mm long can be cut, without end caps



Figure similar

| | |
|---|----------------------------|
| product brand name | SENTRON |
| product designation | Pin busbar |
| design of the product | 28x (1PH+N) |
| design of the phase tap | L1/L2 oder L1/N |
| General technical data | |
| compatibility | for 2 MW devices (2P/1P+N) |
| design of pole | 2P / 1P+N |
| phase number | 2 |
| operational current rated value | 80 A |
| suitability for interaction devices with auxiliary switch | No |
| suitability for interaction devices with N conductor | Yes |
| suitability for use | RCCB 2P N right |
| color | light grey |
| Product details | |
| product component with end cap | No |
| product feature attachable arc fault detection device | No |
| product feature insulated | Yes |
| product function | |
| • suitable for compact devices | No |
| • can be cut | Yes |
| number of devices suitable for fitting | 28 |
| type of electrical connection | Pin |
| Mechanical Design | |
| module width | 18 mm |
| height | 15 mm |
| width | 18 mm |
| length | 1 016 mm |
| number of modular width units | 56 |
| cross-section | 16 mm ² |
| angle of the pin of busbar | 0° |
| Net Weight | 452 g |
| Approvals Certificates | |
| Environment | General Product Approval |

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

[Miscellaneous](#)



[Confirmation](#)





[Confirmation](#)



[Miscellaneous](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3705>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3705>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3705

CAX-Online-Generator

<https://www.siemens.com/cax>


Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)





last modified:

1/15/2026 

