

Pin busbar touch-safe, 16 mm<sup>2</sup> 4-phase, 1016 mm long can be cut, without end caps



Figure similar

product brand name	SENTRON
product designation	Pin busbar
design of the product	14x (3PH+N)
design of the phase tap	L1/L2/L3/N
<b>General technical data</b>	
compatibility	for MCBs 4P or 3P+N
design of pole	3P+N
phase number	4
operational current rated value	80 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
suitability for use	RCCB 4P N right
color	light grey
<b>Product details</b>	
product component with end cap	No
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	No
• can be cut	Yes
number of devices suitable for fitting	14
type of electrical connection	Pin
<b>Mechanical Design</b>	
module width	18 mm
height	18 mm
width	20 mm
length	1 016 mm
number of modular width units	56
cross-section	16 mm <sup>2</sup>
angle of the pin of busbar	0°
Net Weight	798 g
<b>Approvals Certificates</b>	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

[Miscellaneous](#)



[Confirmation](#)





[Confirmation](#)



[Miscellaneous](#)

#### Further information

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3716>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3716>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3716](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3716)

**CAx-Online-Generator**

<https://www.siemens.com/cax>


**Tender specifications**

<https://www.siemens.com/specifications>

**Characteristic curves**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)





---

last modified:

1/15/2026 

