

compact pin busbar, 10 mm<sup>2</sup>, connection 3-pole/ N (RCCB N left) 1x RCCB, 4-pole + 8x compact device 1 MW safe to touch N left 12 MW can be cut



product brand name	SETRON
product designation	Pin busbar
design of the product	1x (N+3PH) + 8x (1PH+N)
<b>General technical data</b>	
compatibility	for 1 × RCCB 3P+N (RCCB N left only) and 8 × compact devices
design of pole	3P+N
phase number	4
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
suitability for use	RCCB 4P N left
color	light grey
<b>Product details</b>	
product component with end cap	Yes
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	Yes
• can be cut	Yes
number of devices suitable for fitting	9
type of electrical connection	Pin
<b>Mechanical Design</b>	
module width	18 mm
height	14 mm
width	42 mm
length	216 mm
number of modular width units	12
cross-section	10 mm <sup>2</sup>
angle of the pin of busbar	0°
Net Weight	126 g

<b>Approvals Certificates</b>	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

[Miscellaneous](#)




[Confirmation](#)





General Product Ap- other

[Confirmation](#)

#### Further information

**Information on the packaging**<https://support.industry.siemens.com/cs/ww/en/view/109813875>**Information for data generation and storage**<https://support.industry.siemens.com/cs/ww/en/view/109995012>**Information- and Downloadcenter (Catalogs, Brochures,...)**<https://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3783-0KL>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5ST3783-0KL>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3783-0KL](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3783-0KL)**CAx-Online-Generator**<https://www.siemens.com/cax>**Tender specifications**<https://www.siemens.com/specifications>**Characteristic curves**[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

1/15/2026 

