

60W USB C Charger (PD)



TIGER PART: PD-60W-USB-C-CAB

Features:

- USB 5 Stage Power Delivery Function for fast charging
- 100Vac~240Vac input
- Short Circuit, Over Voltage, Over Current, Over Temperature Protections
- Certified to UL CE SAA 62368
- Integral folding US Plug with Individual UK EU Plugs (Australian Optional)
- Supplied with integral USB Type C cable



The Tiger Power range of next generation USB chargers feature power delivery. A 5 stage, intelligent multi voltage charging solution which facilitates the fastest possible charging of your device where supported. The Power Delivery series includes our 60W USB C charger PD-60W-USB-C. The unit meets latest safety and efficiency legislation and is suitable for a wide range of applications.

| | |
|---|--|
| Part number (USB C socket integral to the case) : | PD-60W-USB-C-CAB |
| Input voltage: | 100Vac~240Vac |
| Input frequency: | 60Hz/50Hz |
| Output Stage 1: | 5vdc (min. 0A / max. 3A) |
| Output Stage 2: | 9vdc (min. 0A / max. 3A) |
| Output Stage 3: | 12vdc (min. 0A / max 3A) |
| Output Stage 4: | 15vdc (min. 0A / max 3A) |
| Output Stage 5: | 20vdc (min. 0A / max 3A) |
| Short Circuit Protection: | Auto Recovery |
| Over Power Protection: | Auto Recovery |
| Over Temperature Protection: | Auto Recovery |
| Efficiency: | 80% min. Nominal Input |
| Input Current: | 1.3A max. |
| Turn On Time | <3s |
| Dimensions: | 65.5mm * 65.5mm * 29mm |
| Safety approval: | UL CE SAA 62368 (PSE available on request) |
| M.T.B.F: | 20,000 hours (MIL-HDBK-217F) at 25 degrees C |
| Operating temperature: | 0°C to + 40°C |

TIGER POWER PRODUCTS – QUALITY & RELIABILITY


This specification is not for general release or circulation. Tiger Power reserves the right to make changes to spec. or product without notice or liability.

60W USB C Charger (PD)



TIGER PART: PD-60W-USB-C-CAB

Integral US Plug (Supplied with integral USB C cable not shown)



TIGER POWER PRODUCTS – QUALITY & RELIABILITY

This specification is not for general release or circulation. Tiger Power reserves the right to make changes to spec. or product without notice or liability.

60W USB C Charger (PD)







TIGER PART: PD-60W-USB-C-CAB

Integral US Plug (Supplied with integral USB C cable not shown)

In addition to the integrated USB C output cable and folding USA AC Plugs, the unit is also supplied complete with 2 additional AC pins, suitable for use in Europe, the UK (Australian pin available on request at additional cost)

The unit can be used globally for a wide range of applications



Australian AC pins supplied on request

This specification is not for general release or circulation. Tiger Power reserves the right to make changes to spec. or product without notice or liability.

TIGER POWER PRODUCTS – QUALITY & RELIABILITY