





THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	1/25/16	D.GRIFFIN



UL STYLE 2725,  
 (1) 28AWG STRANDED TINNED COPPER TWISTED PAIR  
 (3) 28AWG STRANDED TINNED COPPER CONDUCTORS  
 OVERALL ALUMINUM/POLYESTER SHIELD PLUS TINNED COPPER BRAID SHIELD AND DRAIN WIRE  
 JACKET: PVC, BLACK (NOM DIA. .157" [4.0])

WIRE MAP					
"P1"	SIGNAL NAME	CONDUCTOR	"P2"	SIGNAL NAME	COLOR
A1,B1,A12,B12	GND	INDV.	A1,B1,A12,B12	GND	BLACK
A4,B4,A9,B9	VBUS	INDV.	A4,B4,A9,B9	VBUS	RED
A5	CC	INDV.	A5	CC	YELLOW
B5	VCONN	N/C	B5	VCONN	N/A
A6	Dp1	UNSHIELDED PAIR	A6	Dp1	GREEN
A7	Dn1		A7	Dn1	WHITE
SHELL	SHIELD	BRAID	SHELL	SHIELD	N/A

PART NUMBER	LENGTH METERS [FEET]
CAU2CC-03M	0.3 [.98]
CAU2CC-05M	0.5 [1.64]
CAU2CC-1M	1.0 [3.28]
CAU2CC-2M	2.0 [6.56]
CAU2CC-3M	3.0 [9.84]
CAU2CC-5M	5.0 [16.40]

**NOTES:**

- CABLE ASSEMBLY SHALL HAVE 360° SHIELD TERMINATION.
- CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
- L-COM LOGO AND USB ICON MAY BE ON ANY SIDE OF THE OVERMOLD FOR USB SERIES "C" END.
- CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

**REGULATORY COMPLIANCE:**  
 CE2011/65/EU(RoHS DIRECTIVE)

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +5% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 [5.08] .XX = ± .02 [1.51] .XXX = ± .005 [1.13]	APPROVALS DRAWN BY D. CASTRO CHECKED BY S. LI APPROVED BY S. LI	DATE 4/23/15 1/21/16 1/21/16	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY			CATEGORY USB
	PROJECTION 	COLOR VARIATIONS MAY OCCUR	SIZE <b>A</b>	FSCM NO. <b>43321</b>
	PRODUCT DESCRIPTION <b>CBL USB 2.0 TYPE C/C</b>		DWG. NO. <b>CAU2CC</b>	REV. <b>A</b>
SCALE: NONE		CAD FILE: CAU2CC.SLDDRW	SHEET 1 OF 1	