





Data
Physical data

Width	1 mm / 0.039 inches
Height	123.9 mm / 4.878 inches
Depth	41.7 mm / 1.642 inches

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.116 MJ
Weight	3.9 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
Recupel Type	
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454448172
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Multilevel installation terminal block		
Item no.: 2005-7641		
Multilevel installation terminal block; with operating slots; 4 mm ² ; with N-disconnect slide link; NT/L/PE; Push-in CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/2005-7641	
Item no.: 2005-7642		
Multilevel installation terminal block; with operating slots; 4 mm ² ; L/L; Push-in CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/2005-7642	
Item no.: 2005-7645		
Multilevel installation terminal block; with operating slots; 4 mm ² ; L/L/PE; Push-in CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/2005-7645	
Item no.: 2005-7649		
Multilevel installation terminal block; with operating slots; 4 mm ² ; N/L; Push-in CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/2005-7649	
Item no.: 2005-7646		

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastraße 27
32423 Minden
Phone: +49 571 887-0 | Fax: +49 571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Multilevel installation terminal block; with operating slots; 4 mm²; N/L/PE; Push-in CAGE CLAMP®; 4,00 mm²; gray www.wago.com/2005-7646

Downloads**Documentation****Bid Text**

2005-7692 X81 - Datei	19 Feb 2019	xml 2.6 kB	Download
2005-7692 doc - Datei	28 Apr 2017	doc 24.1 kB	Download

Additional Information

pdf
2.2 MB
Download

CAD/CAE-Data**CAE data**

EPLAN Data Portal 2005-7692	URL	Download
WSCAD Universe 2005-7692	URL	Download
ZUKEN Portal 2005-7692	URL	Download

CAD data

2D/3D Models 2005-7692	URL	Download
------------------------	-----	----------

Environmental Product Compliance**Compliance Search**

Environmental Product Compliance 2005-7692 End and intermediate plate; 1 mm thick; orange	URL	Download
--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.