


## Data sheet | Item number: 770-505/023-000

Strain relief housing; 5-pole; for 2 cables; 5.0 ... 9.0 mm; 55 mm; black

[www.wago.com/770-505\\_023-000](http://www.wago.com/770-505_023-000)



### Data

#### Connection data

No. of poles	5
Connectable sheathed cable diameter	5 ... 9 mm
Strip length	55 mm

#### Geometrical Data

Width	54.6 mm / 2.15 inch
Depth	50 mm / 1.969 inch

#### Material Data

Color	black
Insulating material	Polyamide 66 (PA 66)
Fire load	0.38 MJ
Weight	13.7 g

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Environmental Requirements


Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on Continuous Service Temperature	Insulating parts for temperatures $\leq$ 105 °C

## Commercial data



Product Group	20 (WINSTA)
Packaging type	BOX
Country of origin	DE
GTIN	4044918065580
Customs Tariff No.	85389099990

## Approvals / Certificates


### Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>VDE</b> VDE Prüf- und Zertifizierungsinstitut	EN 61535	40029808

### Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAE00001Z6
	<b>LR</b> Lloyds Register	IEC 61984	02/20050 (E6)

### UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>cURus</b> Underwriters Laboratories Inc.	UL 1977	E45171 Sec. 9

Subject to changes. Please also observe the further product documentation!



## Counterpart

## Compatible products

### Marking accessories

Item no.: 210-333

Marking strips; as a DIN A4 sheet; Strip width 6 mm; Strip length 182 mm; plain; Self-adhesive; white

[www.wago.com/210-333](http://www.wago.com/210-333)

## Downloads

### Documentation

#### Bid Text

770-505/023-000 GAEB X81 - Datei	Feb 19, 2019	xml 2.8 kB	Download
770-505/023-000 doc - Datei	Mar 12, 2015	doc 24.1 kB	Download

## CAD/CAE-Data

### CAD data

2D/3D Models 770-505/023-000	URL	Download
------------------------------	-----	----------

### CAE data

WSCAD Universe 770-505/023-000	URL	Download
--------------------------------	-----	----------

## Installation Notes

## Product family

<i>WINSTA</i>® MIDI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.