

Specifications

Eaton XVM-259R2635-R

Eaton XVM Supercapacitor, Capacitance 6.25F, 259.2V, PCBA Module, Passive Balance




Photo is representative



General specifications

PRODUCT NAME	Eaton XVM-PCBA supercapacitor PCB module
CATALOG NUMBER	XVM-259R2635-R
UPC	051712687539
PRODUCT LENGTH/DEPTH	550 mm
PRODUCT HEIGHT	93.7 mm
PRODUCT WIDTH	266 mm
PRODUCT WEIGHT	10.7 kg
COMPLIANCES	RoHS Compliant



Powering Business Worldwide

Product specifications

USED WITH	93PS
TYPE	PCB integrated
PACKING	Single unit
SIZE	550 x 266 x 93.7 mm
TERMINALS	Female, M5
SHAPE	Rectangular
DC EQUIVALENT SERIES RESISTANCE (ESR)	0.25 Ω
OPERATING TEMPERATURE RANGE	-40 °C to +65 °C
SERIES	XVM-PCBA
MAX VOLTAGE	259.2 V
CAPACITANCE	6.25 F
LEAKAGE	28 mA
ENERGY	209880 J
POWER	67.2 kW
PEAK CURRENT (1 SEC)	316.1 A
CAPACITANCE END OF LIFE RATING	80%
ESR END OF LIFE RATING	200%
GRADE	Industrial

Resources

BROCHURES	Supercapacitors help protect your mission critical loads
INSTALLATION INSTRUCTIONS	XVM PCBA module instruction manual
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - XVM-259R2635-R Eaton XVM 259 Supercapacitor module data sheet

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest product and support information.
All other trademarks are property of their respective owners.

