


MAF95310 MINI NANOBLADE FLEX ANTENNA



Laird Technologies' internal wireless antennas feature flexible printed circuit board type antenna that is multiband character to support WLAN application. The antennas are specifically designed to be embedded inside devices by adhered the antenna to device housing internally for aesthetically pleasing integration.

FEATURES



- Covering dual band frequencies: 2.4 GHz to 2.5 GHz and 4.9 GHz to 5.875
- Conformance to RoHS

MARKETS

- 802.11 b/g/n WLAN applications
- Bluetooth®

TYPICAL ELECTRICAL SPECIFICATIONS

Frequency	2.4 GHz ~ 2.5 GHz, 4.9GHz ~ 5.875 GHz
Gain	2.79 dBi @ 2.4 GHz 3.38 dBi @ 5 GHz
VSWR	2:1
Average Efficiency	68% @ 2.4 GHz 59% @ 5 GHz
Polarization	Vertical, Omni-directional Radiation Pattern
Nominal Impedance	50 Ohms
Mechanical Size	36 mm x 12 mm x 0.1 mm
RoHS	Compliant

* The antenna specification based on the antenna adheres to a plastic housing. It will vary according to customer design environment.

global solution: local support™

Americas: +1.847.839.6907
IAS-AmericasEastSales@lairdtech.com


Europe: +1.32.80.7866.12
IAS-EUSales@lairdtech.com

Asia: +1.65.6.243.8022
IAS-AsiaSales@lairdtech.com

www.lairdtech.com

Cables and Connectors

Part No	Cable	Connector	Orientation
MAF95310	1.13 coax cable, Lc = 185±4 mm	IPEX MHF I	A




	A
	B
	C
	D

TABLE. I

TYPE OF CONNECTOR
ORIENTATION (REFER TABLE. I)

MAF95310 Return Loss



MAF95310 TYPICAL RADIATION PATTERNS



MAF95310 Mini NanoBlade Antenna

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies' Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2009 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trade marks or registered trade marks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.