



time counter 48x 48 mm 115V 60Hz AC without masking frame 55x 55 mm

Model		
product brand name	SETRON	
product designation	Time counter	
design of the product	Without cover	
General technical data		
diameter of the front panel cutout	50.2 mm	
electrical input frequency		
• minimum	60 Hz	
• maximum	60 Hz	
principle of operation of the operating hours counter	analog	
reset function	no	
type of voltage of the operating voltage	AC	
input voltage	115 V	
Protection class		
protection class IP	IP20	
Number		
number of characters that can be displayed	7	
Mechanical Design		
height	45 mm	
height of the front plate	48 mm	
width	45 mm	
width of the front plate	48 mm	
installation depth	34 mm	
fastening method	front panel mounting	
Net Weight	59 g	
Approvals Certificates		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)



[Confirmation](#)

other



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5503>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT5503>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5503

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

5/26/2025 

